

Index

Page numbers followed by an f or a t indicate a figure or table, respectively.

A

AATSR (along-track scanning radiometer), 217
advanced microwave instrument (AMI), 53
Advanced SAR (ASAR), 7
Advanced Very High Resolution Radiometer (AVHRR)
 current images, 208, 209–211f, 212f
 rolls and cells imaging, 327
 sea ice imaging, 103, 104f
 surface wave imaging, 51f
 upwelling images, 222, 226, 228f, 230–231f, 233, 235, 237f, 240, 241f
 use in operational ice services, 418, 420f
African coast, 201, 232f
AGC (Automatic Gain Control), 15
air-sea interactions, 45t
 atmospheric gravity waves, 54, 56f, 57
 polar lows, 58
 rain cells, 57–58
 surface winds, 53–54
 windrows/roll vortices, 54, 55f
Alaska coast, 183, 185f, 279f, 310, 312f, 313f. *See also* Bering Sea; Gulf of Alaska
Alaska SAR Demonstration (AKDEMO), 297–301, 308–309, 311f
Alaska Satellite Facility (ASF), 297
Alboran Sea, 198
Aleutian Islands, 314f, 315f, 345f
ALMAZ, 6, 16, 142
Along Track Interferometry (ATI), 22, 62–64
along-track scanning radiometer (AATSR), 217
AMI (advanced microwave instrument), 53
Andaman Sea, 361, 362f
angle of incidence, 6
Antarctic sea ice. *See also* sea ice
 backscatter response, 401–403
 characteristics, 400–401
 critical solid ocean features, 398
 iceberg observation, 411–414
 ice zones, 399–400
 northern vs. southern polar oceans, 397
 regional characteristics influencing ice cover, 398–399
 SAR observations
 C-band, 406–410
 history, 403–404, 405f
 L-band, 405–406
 rapidity of change in conditions, 407
 X-band, 411
antenna on SAR, 15–16
Apel, John, 6

aperture, 2
Arctic ice edge. *See also* sea ice
 characteristics, 373–374
 deep water convection monitoring, 383, 385, 386f
 eddies detection, 381, 383, 385f
 formation process, 379, 380f, 381, 382f
 identifying using SAR
 conceptual model, 384t
 dynamics, 377, 378f
 internal waves, 376–377
 structure type, 374–375
 wind speed and direction, 377, 378–379f, 379
 mapping at DMI, 431, 432–433f
 multiyear floes detection, 383, 385f
 SAR images examples, 95f, 105
 SAR observations examples
 Barents Sea/Novaya Zemlya Area, 389f, 390
 Ob Gulf/Yenisei Area, 390–391
 Vilkitsky Strait, 391–393
 waves in pack ice, 385–387
ASAR (Advanced SAR), 7
ASF (Alaska Satellite Facility), 297
ATI (Along Track Interferometry), 22, 62–64
atmospheric gravity waves (AGW)
 from air-sea interactions, 54, 56f, 57
 in Antarctic, 386–387
 coastal frontal waves, 351
 described, 341, 342f
 island lee waves, 346–348, 349f
 upstream waves, 349–351
atmospheric vortex streets (AVS)
 characteristics calculations, 342–346
 described, 341, 342f
Automatic Gain Control (AGC), 15
AVHRR. *See* Advanced Very High Resolution Radiometer
azimuth shift, 40

B

B-10 iceberg, 411
backscatter response. *See also* microwave scattering; radar scattering
 Antarctic sea ice, 401–403
 due to upwelling, 226–228, 233–238, 239–240f
 in ocean surface imaging, 32–36
 sea ice modeling, 109
 summer sea ice, 89, 92f, 93
 from wind speed, 305–306
 winter sea ice, 85–89, 90–91f
Baffin Bay, 431, 432–433f
Baja California, 68–69
Baltic Sea, 263, 271f, 274
BAQ (Block Adaptive Quantization), 15

Barents Sea/Novaya Zemlya Area, 351, 389f, 390
 bathymetric maps generation
 market for, 257
 SAR image incorporation, 258
 surveying examples, 258f, 259–261
 bathymetry, 49, 52, 177
 Bathymetry Assessment System (BAS), 258
 Beaufort Sea, 95f, 98f, 100f, 110f
 Bering Sea
 analysis by NIC, 420f, 421, 422f, 423
 ice edge images, 298f, 374, 375f
 ship detection in, 293–294f
 storm detection over, 332–333, 334f
 biogenic oil slicks, 58–60, 270–274
 Bismarck-Solomon Islands, 202
 Block Adaptive Quantization (BAQ), 15
 Block Floating-Point Quantization (BFPQ), 15
 bound waves, 41
 Bragg waves and scattering, 21, 32–36, 172–174
 Brazil, 358, 359f
 Bristol Bay, Alaska, 280f, 284

C

California coast, U.S., 46f, 51f, 55f, 56f, 59f, 141f, 227–229f
 Camarinal Sill, 199f
 Canadian Archipelago analysis, 423, 424–426f, 426
 Canadian Centre for Remote Sensing (CCRS), 226, 385f
 Canadian Ice Services
 Canadian Archipelago analysis, 423, 424–426f, 426
 Great Lakes analysis, 434, 435–436f, 437f
 Canadian Space Agency observations. *See* RADARSAT-1
 Cape Canaveral, U.S., 48f
 Cape Cod, U.S., 18f, 242f
 Cape Farewell, Greenland, 427, 428, 430f
 Cape Hatteras, U.S., 214f
 Cape Henry, U.S., 215, 216f
 Cape Navarin, Russia, 333f
 Caspian Sea, 269, 270f, 272f, 274
 CCRS (Canadian Centre for Remote Sensing), 226, 385f
 CEAREX, 97
 cells, 322–325, 327, 328f
 CFAR (Constant False Alarm Rate method), 431
 channel convergence fronts, 215–217
 Chesapeake Bay, U.S., 215, 216f, 233, 234–237f, 238, 280f, 285f, 297f
 chirp, 8
 Chukchi Sea, 107f, 159f, 375, 376f
 coastal frontal waves, 351
 Constant False Alarm Rate method (CFAR), 431
 continental shelf and internal waves generation, 195–198, 201–202
 convective rain, 355
 currents
 Coriolis force and, 222
 current-bottom topography interaction, 255–256

 detection by SAR, 49, 50–51f
 estuarine outflows and channel convergence fronts, 215–217
 future directions, 217–218
 near-shore, 181–183
 Norwegian Coastal Current, 208–210
 surface roughness change mechanisms, 207
 wave interactions with, 41–42
 wave spectra from ATI and, 62–64
 Western Gulf Stream, 210f, 211–215
 cyclones. *See* polar mesoscale cyclones

D

Dalila, Hurricane, 339f, 340
 damping ratio of a radar return, 60
 Danish Meteorological Institute (DMI)
 iceberg mapping, 431, 432–433f
 ice services using SAR, 419, 426–428, 429–430f
 data rate performance factor, 14–15
 Defense Meteorological Satellite Program Operational Linescan System, 411
 deformed ice, 97, 401
 Delaware Bay, U.S., 233, 234–237f, 238, 294f
 Delmarva Peninsula, 233
 dielectric constant and penetration depth, 29, 30f, 31f, 32, 86–87
 DLR (German Aerospace Center), 162, 163f
 DMI. *See* Danish Meteorological Institute
 Doppler beam-sharpening, 6
 Doppler offset, 39f, 40

E

Earth Observing Catalogue, CCRS, 226
 Earth Resource Technology Satellite (ERTS-1), 1
 East China Sea, 225f, 226, 296f
 East Coast, U.S., 184f, 323f, 324f, 326f, 328f
 eddies
 detection on the Arctic ice edge, 381, 383, 385f
 mapping with SAR, 49, 50–51f
 Ekman transport, 222
 English Channel, 52f, 247–248
 environmental pollution, 263–264
 ENVISAT
 antenna technologies, 16
 current images, 217
 history, 7
 ice edge images, 377
 imaging products, 446–447
 multiple frequencies use, 61
 oil slick detection, 264
 polarimetric combinations capability, 109
 rainfall imaging, 359
 SAR imagettes, 164
 surface wave detection, 43
 underwater topography images, 252, 253f

Index

upwelling images, 232
ERIM/NAWC SAR, 214f
ERS (European Remote Sensing)
 air-sea interactions detection, 53
 Antarctic mapping, 403
 antenna technologies, 16
 backscatter statistics, 402, 403t
 coastal frontal waves detection, 351
 current images, 208, 211, 216f
 history, 6, 27, 142, 143
 ice edge images, 376f, 377, 378f, 382f, 385, 386f
 imaging products, 445
 inter-look cross spectrum, 153
 internal waves/soliton packets imaging, 191, 193f, 194f, 196f, 198, 199–200f
 mineral oil seep detection, 59f
 near-shore processes imaging, 182f, 183
 oil slick detection, 264, 265–267f, 269–272f
 rainfall imaging, 359, 361, 362–366f
 SAR imageries, 162, 163f
 sea ice imaging, 95f, 98f, 100f
 ship detection, 289, 290f
 surface wave imaging, 47
 surface wind imaging, 53–54
 underwater topography images, 249–251f, 252, 254f, 257, 258f, 259
 upwelling images, 225f, 226, 228, 230–231f
 use in operational ice services, 419
 use in sea ice measurement, 111
 wave breaking resolution, 179
 wave spectra images, 154, 155–157f
 wind speed and direction detection, 308
estuarine outflows, 215–217
European Space Agency (ESA), 164. *See also* ERS (European Remote Sensing)

F
Figure of Merit (FOM), 284
first-year ice
 described, 83–84, 85f, 400
 identifying using SAR, 97
fisheries management application of SAR, 297–301
floes
 concentration in sea ice, 103, 104f
 multiyear floes detection on ice edge, 383, 385f
 size distributions, 102
Floyd, Hurricane, 337–338f, 339–340
fracturing of sea ice, 97
Fram Strait, 427
frazil ice, 82, 105, 159–160, 379, 387, 398, 400, 401, 404f, 406, 407, 408f, 410f
frontal waves, coastal, 351
fronts, 49, 50–51f, 215–217
frost features of sea ice, 99

G

German Aerospace Center (DLR), 162, 163f
GLOBEC Program, Oregon State University, 231
gravity waves. *See* atmospheric gravity waves
Greenland Sea
 DMI ice charts, 426–428, 429–430f
 ice edge eddies, 381, 383, 385f
 ice edge images, 377, 378f
 marginal ice zone images, 104f, 106f
Gulf of Alaska, 312, 316f, 317f, 349f. *See also* Alaska coast
Gulf of California, 48f
Gulf of Mexico, 58, 66–68, 290f, 367, 368f
Gulf of Thailand, 361, 363–364f
Gulf Stream, 26f, 49, 50f, 62, 69–70

H

Hudson Canyon, U.S., 191, 193f, 197f
Hudson River Estuary, U.S., 235, 238f, 239f
hummocking of sea ice, 97
hurricanes
 Dalila, 339f, 340
 described, 335
 Floyd, 337–338f, 339–340
 Josephine, 161
 wave fields generation, 160–161
hydrodynamic modulation, 37–38, 134, 147, 174

I

icebergs, 401, 402, 411–414
ice edge. *See* Arctic ice edge
Iceland, 361, 366f, 367, 381
ice services. *See* operational ice services
ice sheets, 402
IFSAR, 9
Indian Ocean, 194, 266f
InSAR, 9
internal waves
 on the Arctic ice edge, 376–377
 characteristics of, 47, 190–194
 described, 189–190
 detection by SAR, 47–48
 global occurrences, 202, 203f
 remote sensing of
 characteristics observable by SAR imagery, 195
 continental shelf generated, 195–198, 201–202
 light/dark band signature, 195
 sill generated, 198–201
 summary, 204
International Convention for the Prevention of Pollution from Ships (MARPOL), 263
Inter-Pulse Period (IPP), 13, 14
inversion, 151, 153
island lee waves, 346–348, 349f

J

Japanese Earth Resources Satellite (JERS), 6, 27, 142
 Jet Propulsion Laboratory (JPL), 6
 Johns Hopkins University Applied Physics Laboratory (JHU/APL), 308
 Joint Ocean Wave Investigation Project (JOWIP), 291f
 Josephine, Hurricane, 161
 JPL AIRSAR, 109, 110f, 291f
 Jugor Strait, 390

K

Kara Gate, 390
 katabatic winds, 53, 397, 398, 399, 407, 408, 409f
 Kelvin wakes, 288–289, 289–291f
 Kirchhoff approximation, 119
 Kodiak Island, Alaska, 312f, 313f
 Kongsberg Satellite Services (KSAT), 263, 297

L

Labrador Sea
 cyclones in, 335, 336f
 ice edge images, 383, 385, 386f
 wave modeling and measurement, 158
 LANDSAT, 1–2, 414
 Langmuir circulation, 268
 leads and polynyas, 99–102
 lee waves, 341, 346–348, 349f
 level ice, 97
 line-of-sight velocity of a target, 62–63
 Loch Linnhe, Scotland, 291f
 Long Island, U.S.. *See* New Jersey coast
 Loomis, Alden, 6

M

MABL. *See* marine atmospheric boundary layer
 Malaysian coast, 267f
 Manaus, Brazil, 358, 359f
 man-made near-shore signatures, 183–184, 185f
 mantissas, 15
 Maragoni resonance effect, 60
 Marginal Ice Zone (MIZ), 158, 373, 400, 423
 Marginal Ice Zone Experiment (MIZEX), 383
 marine atmospheric boundary layer (MABL)
 cells, 322–325
 overview, 321
 rolls, 325–327, 328f
 transition between cells and rolls, 327, 328f
 turbulent flux measurements, 329
 Mariner Glacier, Victoria Land, 413f, 414
 MARPOL (International Convention for the Prevention of Pollution from Ships), 263
 McMurdo Sound, 407, 409f
 Mediterranean Sea, 199f, 263, 269f
 Medium Resolution Imaging Spectrometer (MERIS), 217, 222, 232

MGIA (multigrid iterative approach), 120, 121
 microwave scattering. *See also* backscatter response
 discrepancies due to non-linear nature of ocean, 134–135
 due to rough surface
 backscatter NRCS and wind field, 128–131
 bistatic scattering model, 119–122
 model refinements, 131–134
 non-Gaussian behavior of ocean surface, 133–134
 in the SPM limit, 122–123
 wave spectrum properties, 123–128
 hydrodynamic composite-type model, 135
 smooth flat interface characteristics, 117–119
 Mid-Atlantic Ridge, 202
 mineral oil films, 58–60, 268–269, 270f
 Mission Bay, San Diego, 63f
 MIZ (Marginal Ice Zone), 158, 373, 400, 423
 MIZEX (Marginal Ice Zone Experiment), 103, 105, 383
 Moderate Resolution Imaging Spectroradiometer (MODIS), 222
 monostatic strip-mapping, 9
 multigrid iterative approach (MGIA), 120, 121
 multiyear ice
 described, 83–84, 85f, 400, 402
 identifying using SAR, 96–97

N

Nansen Environmental and Remote Sensing Center, 381, 383, 387
 Nantucket Shoals, Massachusetts, 3f, 224f, 226, 240, 241f
 narrow-V wakes, 292
 National Aeronautics and Space Administration (NASA), 1
 National Centers for Environmental Prediction (NCEP), 423
 National Data Buoy Center (NBDC), 313
 National Ice Center (NIC)
 Bering Sea analysis, 420f, 421, 422f, 423
 data sources, 418
 Great Lakes analysis, 434, 435–436f, 437f
 iceberg observation, 411
 National Oceanic and Atmospheric Administration (NOAA), 6, 297, 308, 418. *See also* Advanced Very High Resolution Radiometer
 near-shore processes
 Bragg scattering theory review, 172–174
 currents, 181–183
 effects identifiable by SAR, 171
 man-made signatures, 183–184, 185f
 wave breaking, surf zone, 177–181
 wave refraction, 174–177
 Newfoundland coast, 155f
 new ice, 400
 New Jersey coast, U.S., 235, 237f, 239f, 240f, 289f
 New York Bight, 193f, 195, 196f, 197f, 201
 NIC. *See* National Ice Center
 NOAA (National Oceanic and Atmospheric

Index

Administration), 6, 297, 308, 418
normalized radar cross section (NRCS), 120
North Carolina coast, U.S., 233, 234f, 235f
Northern Sea Route, 390
Northern Straits of Malacca, 367, 369f
North Sea, 263
Norway coast, 182f
Norwegian Coastal Current, 208–210
Norwegian Sea, 381, 383
Novaya Zemlya Area, 389f, 390
NRCS (normalized radar cross section), 120

O

Ob Gulf/Yenisei Area, 390–391
ocean features, 44t
 bathymetry, 49, 52
 currents, fronts, eddies, 49, 50–51f
 internal waves, 47–48
 surface waves, 43, 46f, 47
ocean surface imaging
 air-sea interactions characteristics, 45t
 atmospheric gravity waves, 54, 56f, 57
 polar lows, 58
 rain cells, 57–58
 surface winds, 53–54
 windrows/roll vortices, 54, 55f
 case studies
 Baja California, 68–69
 Gulf of Mexico, 66–68
 Gulf Stream, 69–70
 currents and wave spectra from ATI, 62–64
 future directions, 66
 history, 27–28
 multiple frequencies use, 61
 multiple polarization use, 61–62
 ocean features characteristics, 44t
 bathymetry, 49, 52
 currents, fronts, eddies, 49, 50–51f
 internal waves, 47–48
 surface waves, 43, 46f, 47
 overview, 25–27
 polarimetry use, 62
 radar scattering and
 backscatter from surface roughness, 32–36
 dielectric constant and penetration depth, 29, 30f,
31f, 32
 ocean radar return, 28
 oil slicks, 42–43
 short and long waves interactions, 36–41
 wave-current interactions, 41–42
 spatial and temporal sampling, 64–66
 surface slicks from oils, 58–60
the Odden, 380f, 381, 382f
oils and surfactants
 biogenic slicks, 270–274
 difficulties in identifying oils, 264–267

 environmental problem of pollution, 263
 mineral oil films, 268–269, 270f
 radar scattering and slicks, 42–43
 SAR imagery for pollution monitoring, 263–264
 spills on images, 58–60
operational ice services
 CIC Canadian Archipelago analysis, 423, 424–426f,
426
 DMI ice charts for Greenland, 426–428, 429–430f
 iceberg mapping at DMI, 431, 432–433f
 impact of SAR imagery availability, 436, 438
 major ice charting nations, 417, 418f
 NIC Bering Sea analysis, 420f, 421, 422f, 423
 NIC Great Lakes analysis, 434, 435–436f, 437f
 satellite data sources, 418–419
Operational Linescan System (OLS), 418
Oregon coast, 231f

P

PALSAR, 109
Pearl Bank, 199
Plaatgat area, 258f, 259–261
PMR (Power-to-Mean-Ratio method), 431
Point Reyes Beach, California, 141f
polarimetry, 62
polarization of sea ice, 109–111
polar lows, 58
polar mesoscale cyclones (PMCs)
 described, 332
 over the Bering Sea, 332–333, 334f
 over the Labrador Sea, 335, 336f
pollution. *See* oils and surfactants
polynyas, 93, 99, 373, 383, 390–391, 398, 400
Power-to-Mean-Ratio method (PMR), 431
Pulse Repetition Frequency (PRF), 13
pycnocline, 189

Q

QuickSCAT, 314–317

R

RADARSAT-1
 air-sea interactions detection, 53
 Antarctic mapping, 404f
 antenna technologies, 16
 Arctic ocean mapping, 64
 atmospheric gravity waves imaging, 346–350
 atmospheric vortex streets imaging, 342–346
 current images, 212f, 213
 history, 6, 7, 28, 142, 143
 iceberg observation, 411, 412–413f
 ice edge images, 374–375, 377, 389f, 390, 391–392f
 inter-look cross spectrum, 153
 internal waves/soliton packets imaging, 201f
 marine atmospheric boundary layer, 323–324f, 325,

- 326f, 327
 - mineral oil seep detection, 59f
 - near-shore processes imaging, 175f, 177, 180f, 181, 183, 184f, 185f
 - oil slick detection, 264
 - operational ice services, 420f, 421, 422, 424f, 428, 431, 432–433f, 435f
 - principles, 18
 - processing levels, 448–449
 - rainfall imaging, 359
 - rolls and cells imaging, 327, 328f
 - roll vortices/windrows imaging, 55–56f
 - sea ice images, 404, 407–410f
 - ship detection, 279–280f, 281, 282f, 283–284, 288–289, 290f, 293–294f, 297–299f
 - speckle noise image, 150
 - storm system detection, 331, 332, 333f, 336–337f, 339f, 340
 - surface wave imaging, 46f, 47, 51f, 140, 141f, 142f
 - surface wind imaging, 54
 - upwelling images, 226, 227f, 229f, 233, 234f, 235, 237f, 238f, 240, 241–242f
 - use in operational ice services, 419
 - use in sea ice measurement, 111
 - wave breaking resolution, 179
 - wind speed and direction detection, 309–310
 - wind speed imaging, 309, 310–314f, 315, 316–318f
 - RADARSAT-2, 7, 16, 17, 18, 66, 109, 164, 217–218, 359, 419, 438
 - radar scattering
 - Bragg waves and, 21, 32–36, 172–174
 - coefficient, 85–89
 - due to rainfall, 358–361
 - ocean surface imaging and
 - backscatter from surface roughness, 32–36
 - dielectric constant and penetration depth, 29, 30f, 31f, 32
 - ocean radar return, 28
 - oil slicks, 42–43
 - short and long waves interactions, 36–41
 - wave-current interactions, 41–42
 - radial velocity of a target, 62–63
 - rafted ice, 97
 - rainfall/rain cells
 - air-sea interactions and, 58
 - detection by SAR, 355
 - radar signatures of rain cells
 - Bragg wavelength and, 356
 - rainfall effects on sea surface, 356–357
 - rain-related wind effects on sea surface, 357–358
 - scattering and attenuation of microwaves, 358–361
 - SAR images examples, 361, 362–366f, 367, 368–369f
 - range resolution, 7–8, 14
 - Rayleigh criterion, 86
 - real-aperture radar (RAR), 8
 - resolution. *See* range resolution
 - resonance scattering, 32–36
 - ridging of sea ice, 97
 - rolls, 325–327, 328f
 - roll vortices/windrows, 54, 55f
 - Ross Sea, 406, 407f, 408f
 - Russian Arctic, 388
- S**
- SaSS-II algorithm, 129–131
 - Scanning Multi-Channel Microwave Radiometer (SMMR), 381
 - ScanSAR, 283–284
 - scatterometer algorithms, 129
 - scatterometers use for wind speed determination, 306–307
 - Scoresby Sound, 427
 - Scotia Sea, 404f, 406
 - sea ice
 - Antarctic (*see* Antarctic sea ice)
 - Arctic (*see* Arctic ice edge)
 - backscatter modeling, 109
 - characteristics, 82–84
 - deformation, 97
 - edge characteristics and detection, 103, 105, 106–107f
 - floe concentration, 103, 104f
 - floe size distributions, 102
 - ice type determination, 93–97
 - leads and polynyas, 99–102
 - overview, 81
 - polarimetric discriminants
 - correlation coefficient, 112
 - depolarization ratio, 112
 - expected utility, 113t
 - phase difference, 111–112
 - total power/span, 112
 - polarization, 109–111
 - remote sensing concepts
 - backscatter response, summer, 89, 92f, 93
 - backscatter response, winter, 85–89, 90–91f
 - snow on, 105, 108–109
 - surface features categories, 97–99
 - topology of types, 94f
 - SEASAT
 - air-sea interactions detection, 53
 - antenna technologies, 16
 - data rate system, 14
 - geometry, 11–12
 - history, 1, 6, 7, 27
 - imaging products, 443–444
 - ocean surface imaging, 67f, 69f
 - rain cells imaging, 57–58
 - scatterometer, 306–307
 - sea ice imaging, 105f, 107f
 - storm system detection, 161
 - surface wave imaging, 48f, 50f, 52f, 140–141, 159–160
 - surface wind imaging, 53–54

Index

- underwater topography images, 246, 248f, 252, 257
- upwelling images, 224, 226
- wind speed and direction detection, 307–308
- Sea-viewing Wide Field-of-view Sensor (SeaWiFS), 222, 239f
- ship detection
 - applications, 297–301
 - image phenomenon related to, 295, 296–297f
 - limitations of SAR
 - environmental conditions, 281
 - image quality, 281–283
 - image resolution, 283–284
 - radar characteristics, 281, 282f
 - ship characteristics, 278, 281
 - physical process, 277, 278f
 - SAR imaging characteristics, 278, 279–280f
 - slicks, 292, 293–294f, 295
 - wakes (*see* wakes)
- Shuttle Imaging Radar. *See* SIR
- Shuttle Imaging Radar-C/X-band SAR. *See* SIR-C/X-SAR
- Shuttle Radar Topography Mission (SRTM)
 - antenna technologies, 16
 - current images, 217
 - history, 9
- sigma naught, 28
- sill generated internal waves, 198–201
- SIR (Shuttle Imaging Radar)
 - antenna technologies, 16
 - history, 6, 27, 142
 - imaging products, 18f, 450
 - internal waves/soliton packets imaging, 201
 - ocean surface imaging, 68f
 - sea ice images, 403, 404f, 405f, 406
 - storm system detection, 161
 - surface wave imaging, 142
- SIR-C/X-SAR
 - history, 6–7, 27, 142
 - multiple frequencies use, 60–61, 62
 - rain cells imaging, 57f
 - rainfall imaging, 356, 358–359, 360f, 361, 367, 368–369f
- SIZEX, 383
- slant plane, 19–20
- slicks and ship detection, 292, 293–294f, 295. *See also* oils and surfactants
- small perturbation method (SPM), 119. *See also* microwave scattering
- SMMR (Scanning Multi-Channel Microwave Radiometer), 381
- snow, 401
- snow crab season monitoring, 297–301, 423
- snow on sea ice, 105, 108–109
- soliton. *See* internal waves
- Solomon Islands, 57f
- South China Sea, 289f
- Southern Ocean. *See* Antarctic sea ice
- Special Sensor Microwave Imager (SSM/I), 103, 105, 355, 381, 419
- speckle noise, 20, 150, 281–283
- SPM (small perturbation method), 119. *See also* microwave scattering
- SRTM. *See* Shuttle Radar Topography Mission
- SRTM (Shuttle Radar Topography Mission), 9, 16
- St. Lawrence Island polynya, 26f, 35f, 36, 350f, 351
- storm-generated wave fields, 160–161
- storm systems, mesoscale
 - hurricanes
 - Dalila, 339f, 340
 - described, 335
 - Floyd, 337–338f, 339–340
 - polar mesoscale cyclones
 - described, 332
 - over the Bering Sea, 332–333, 334f
 - over the Labrador Sea, 335, 336f
 - SAR data use for monitoring, 331
- Straight of Gibraltar, 198
- Strait of Dover, 252, 253f
- Strait of Gibraltar, 193, 194f
- Strait of Malacca, 250–251f, 252, 290f
- stratiform rain, 355
- Sulu Sea, 194, 198, 199, 200f, 361, 365f
- surface slicks, 208, 213
- surface waves, 43, 46f, 47. *See also* wave modeling and measurement
- surface winds. *See* wind speed and direction
- surf zone wave breaking, 177–181
- swath width, 13
- synthetic aperture radar (SAR)
 - antenna dimensions, 15–16
 - antenna technologies, 16
 - basic concept, 2
 - characteristics of orbital systems, 5t
 - data collection and processing challenges, 9, 11
 - data rate performance factors, 14–15
 - frequency bands definition, 453
 - geometry, 11f, 19–20
 - history, 1, 4, 6–7, 27–28
 - imaging from space, 1–4
 - imaging of the ocean surface, 21–22
 - limits from ambiguity conditions, 12–13
 - multi-look processing, 20–21
 - on-line archives and resources, 451–452
 - principles, 9–12
 - radar along-track performance, 8, 10f
 - radar range resolution, 7–8
 - signal processing and image formation, 16–19
 - slant plane, 19–20
 - speckle, 20

T

- Taimyr Ice Massif, 392
- Taiwan coast, 225f, 296f

Taiwan Tan Shoals, 249f, 250–252
 tidal pumping, 221
 tilt modulation, 37–38, 132
 Tropical Rainfall Measuring Mission (TRMM), 355

U

underwater topography
 bathymetric maps generation
 market for, 257
 SAR image incorporation, 258
 surveying examples, 258f, 259–261
 principles of radar imaging of, 246–247
 process contributing to radar image, 247
 current-bottom topography interaction, 255
 radar-ocean wave interaction, 256–257
 wave-current interaction, 255–256
 SAR image examples
 English Channel, 247–248
 Strait of Dover, 252, 253f
 Strait of Malacca, 250–251f, 252
 Taiwan Tan Shoals, 249f, 250–252
 Xinchuan Gang Shoal, 252–253, 254f
 upstream waves, 349–351
 upwelling
 areas of activity, 221
 described, 221
 East Coast, U.S.
 localized seasonal upwelling, 233
 low backscatter SAR signatures, 233–238, 239–240f
 SAR's ability to delineate upwelling features, 240–241, 242f
 observations from space, 222–226
 SAR imaging of patterns, 223–226
 SAR's ability to detect upwelling patterns, 241–243
 surface water properties and, 222, 223f
 West Coast, U.S.
 low backscatter SAR signatures, 226–228
 SAR observation of region example, 231–232
 utility of SAR imagery, 228–231

V

velocity bunching, 21, 38–39, 43
 Veridian Systems Division, 179, 308, 309
 Vessel Monitoring Systems (VMS), 301
 Vilkitsky Strait, 391–393
 vortex streets, atmospheric, 342–346

W

wakes
 internal wave, 292
 Kelvin, 288–289, 289–291f
 narrow-V, 292
 turbulent, 284–285, 286–287f, 288
 Washington coast, 180f, 181, 201f, 202, 291f

wave breaking in surf zone, 177–181
 wave modeling and measurement
 future prospects, 164
 historical use of SAR, 140–143
 image spectra examples, 154, 155–157f
 image spectral analysis, 145–146
 overview of current approaches, 139–140
 radar-ocean wave interaction underwater, 256–257
 real-time wave demonstration, 161, 162f
 storm-generated wave fields, 160–161
 wave groups from SAR imageries, 162–164
 wave refraction, 154, 158
 waves in ice, 158–160
 wave spectrum from SAR
 azimuth cut-off, 148–149
 inter-look cross spectrum, 153–154
 limitation of polar orbiting SAR, 151, 152f
 linear transform, 146–148
 non-linear transform, 151, 153
 quasi-linear transform, 149–150
 speckle noise, 150
 wind wave properties, 143–145
 wave refraction
 near-shore region, 174–177
 on ocean surface, 154, 158
 waves, gravity. *See* atmospheric gravity waves
 waves, upstream, 349–351
 waves in ice, 158–160
 weathering of sea ice, 97
 Weddell Sea, 405f, 406
 Western Gulf Stream, 210f, 211–215
 Wiley, Carl, 4, 8
 Willapa Bay, Washington, 175f
 williwaws, 310
 windrows/roll vortices, 54, 55f, 308
 wind speed and direction
 air-sea interactions and, 53–54
 on the Arctic ice edge, 377, 378–379f, 379
 backscattering considerations, 305–306
 buoy-SAR comparisons, 313–315
 challenges associated with SAR, 309–310
 difficulties in identifying wind direction, 315–316, 317–318f
 early uses of SAR imagery, 307–309
 inferred by surface roughness, 313–315
 L-band sensitivity, 34
 observations possible with SAR, 311–312, 313f
 scatterometers use, 306–307

X

Xinchuan Gang Shoal, 252–253, 254f

Z

zones, ice, 399–400